

KME-product: semi finished products from complex copper zinc alloys

Revised at: 12.07.2019

#### Information sheet for articles

## 1. Identification of the article and of the supplier

### Supplier/Manufacturer // Application and use of the articles

KME SE affiliates, hereinafter referred to as KME, manufacture and supply products made of copper and copper alloys in the form of semi-finished products like hot and cold rolled bands, plates, sheets and strips, pressed and drawn pipes, tubes, profiles, rods, either uncoated or with tinned surface.

Further information contact / supplier information:

Frank Otten KME Germany GmbH & Co. KG

Head of EHSQ-Management KME Klosterstraße 29
REACH coordination KME 49074 Osnabrück

GERMANY Phone: +49 (0)541 321 1509

Mobile: +49 (0)160 53 56 995 Phone +49-(0)5 41-3 21-0 E-Mail: Frank.Otten@kme.com Fax +49-(0)5 41-3 21-13 66

Elena Maria Martellucci contact for Italy

Quality and R&D Manager
Phone: +39 0583 701 396 KME Italy S.p.A.

Via della Repubblica, 257 E-Mail: ElenaMaria.Martellucci@kme.com 55051 Fornaci di Barga (LU)

ITALY

IALI

Phone. +39 0583 701 1 Fax +39 0583 709 623

#### Remarks

Semi-finished products from copper and copper alloys are articles according to Regulation (EC) No. 1907/2006 (REACH Regulation). For articles it is not mandatory by law to issue a safety data sheet. To provide information to our customers this voluntarily information sheet was compiled, but it is not subject to the formal requirements of the REACH Regulation.

#### 2. Hazard identification

When supplied in solid form the articles from copper and copper alloys are non-hazardous. If they are subsequently processed in any way which might produce airborne dust or fumes, for instance by dry grinding, abrading, electro discharge machining, melting or welding (the material itself) then an inhalation hazard could arise.

General handling, stamping, forming and most machining operations are non-hazardous. Heat treatment in air up to about 400 °C is nonhazardous but higher temperatures may give rise to loss of oxide, which could cause hazardous inhalation. This can be avoided by treatment in inert atmosphere.



## 3. Composition / information on ingredients

**Description:** complex copper zinc alloy (brass)

Material codes: copper alloy

KME material Trade name	Material Code (DIN CEN/TS 13388:2015)	Material number (DIN CEN/TS 13388:2015)	ASTM
	CuZn31Si1	CW 708 R	C69800
	CuZn35Ni3Mn2AlPb	CW 710 R	
	CuZn37Mn3Al2PbSi	CW 713 R	C67420
	CuZn38AlFeNiPbSn	CW 715 R	

The classifications mentioned below reflect the classification of the responding pure substance and are for information only. Copper alloys are special preparations according to Regulation (EC) 1907 / 2006 (REACH).

Harmonized classified alloy components

Number	Name of component	Classification CLP / EU	Content (w/w) / remark
CAS: 7440-02-0 EINECS: 231-111-4 Index-No.: 028-002-00-7	Nickel	Carc. Cat 3, Xn; R40-43 S (2-)22-36 GHS08, Carc. 2; H351 GHS07, Skin Sens. 1; H317, Wng	Max. 3 %
CAS: 7439-92-1 EINECS: 231-100-4	Lead <sup>1</sup>	Repr. 1A ; H360 FD Lact. : H362 STOT RE 1 ; H372	Max 1 %

<sup>&</sup>quot;Lead" was identified and listed by ECHA as SVHC. Inclusion date: 27.06.2018

This does not imply that safe use conditions have changed.

non harmonized classified alloy components (respective to individual alloy)

Number	Name of component	Classification
CAS: 7440-50-8 EINECS: 231-159-6	Copper	-
CAS: 7440-66-6 EINECS: 231-175-3	Zinc	-
CAS: 7439-96-5 EINECS: 231-105-1	Manganese	-
CAS: 7429-90-5 EINECS: 231-072-3	Aluminium	-
CAS: 7440-31-5 EINECS: 231-141-8	Tin	-
CAS: 7439-89-6 EINECS: 231-096-4	Iron	-
CAS: 7440-21-3 EINECS: 231-130-8	Silicon	-



#### 4. First aid measures

General information: There is no acute risk associated and no special measures required.

Exposure	Measures
Inhalation	Ensure supply of fresh air. In the event of symptoms refer to medical treatment. In practice any exposure can only arise from operations such as grinding, abrading, electro discharge machining, welding or melting and is likely to be at low levels which will not cause immediate symptoms.
Skin contact	Normally no skin irritation.
Eye contact	Rinse thoroughly with plenty of water and seek medical advice. Use normal industrial protection to protect against foreign bodies entering the eyes.
Ingestion	In the event of symptoms refer to medical treatment. Use normal industrial hygiene.

## 5. Fire fighting measures

suitable extinguishing agents	Use fire extinguishing methods suitable to surrounding conditions.
Protective equipment	No special measures required

## 6. Accidental release measures

Personal Protection	Not required, not applicable
Environmental protection	Not required, not applicable

7. Handling and storage

Handling and storage	Measure	
and environment	Control are only applicable to any process which might produce airborne dust or fumes, which are subject to Health and Safety Executive Maximum Exposure as shown in chapter 8	
Storage, Co-storage, maxi- mum storage	No special requirements. Look for surrounding conditions.	

## 8. Exposure controls and personal protections

## Limitation and control of the exposure at the working place

If breathable dust or smoke occurs by machining, the exposition to workers should be controlled with an exhaust filter system to meet the limit values. As an additional measure personal protection as a filter mask or an independent breathing helmet may be used.

### Occupational Exposure Limit Values for possible hazards during processing

Link to GESTIS International Limit Values: <a href="http://limitvalue.ifa.dguv.de/WebForm\_gw2.aspx">http://limitvalue.ifa.dguv.de/WebForm\_gw2.aspx</a>

Personal protective equipment	t Recommendation	
· ·	Use an industrial filter mask (type P2) when work-place limits are exceeded.	
Hands	Protective gloves are recommended, depending on the handling.	
Eyes	Eye protection is recommended, depending on the processing.	
Body	Wear suitable protective clothing, depending on the processing.	



## 9. Physical and chemical properties

Parameter	description
Colour	Metallic yellow
State of aggregation:	solid
Density	8,3 g/cm3 (Lit.)
Solubility in water	insoluble
Odour:	odourless
Melting point:	890 – 900 °C (Lit.)
Boiling point / boiling range:	undetermined
Flash point	Not applicable
Ignition (solid, gaseous)	Not applicable
Explosion occurrence	<ul><li>No danger in solid form</li><li>in case of melted metal risk of explosion by contact with water.</li></ul>

## 10. Stability and reactivity

Conditions to avoid: No decomposition if used to specification.

With contact to mercury, ammonia, acetylene, chlorine-gas and various acids may be incompatibility. There will be a corrode reaction.

## 11. Toxicology information

#### General information:

When used and handled according to specifications, the article does not have any harmful effects to our experience.

On skin: No irritant effect.
On eye: No irritating effect.

Sensitization: No sensitizing effects known.

## 12. Ecological information

#### General notes

Semi-finished articles from copper and copper-alloys are practically insoluble in water.

#### Potential of bioaccumulation

Copper is a basic essential element, it will not be accumulated, but by some living stored for later use.



## 13. Disposal considerations / Recycling

KME confirm that the articles from copper and copper alloys could and should be recycled by end of life in accordance with Annex II to Directive 75/422/EEC for the recovery operation R4 (recycling / reclamation of metals).

Classification according to the EU-Waste Catalogue Ordinance:

KME is aauthorized to receive and recover waste from copper and copper alloys each broken down by source:

Origin of the waste in according with EWC	EWC- Waste Code	Description
Waste metal	02 01 10	Waste metal
Slags from primary and secondary pro-	10 06 01	Slags from primary and secondary pro-
duction		duction
Other particulates and dust	10 06 04	Other particulates and dust
Furnace slag	10 10 03	Furnace slag
Other particulates other than those men-	10 10 12	Other particulates other than those men-
tioned in 10 10 11		tioned in 10 10 11
Wastes from copper hydrometallurgical process other than those mentioned in 11 02 05	10 02 05	Wastes from copper hydrometallurgical process other than those mentioned in 11 02 05
Waste from mechanical design processes	12 01 03	Non-ferrous metal chips
disassemble of old cars	16 01 18	Non-ferrous metal
Metals (including alloys)	17 04 01	copper, bronze, brass
Waste from shredding of metal-containing waste	19 10 02	Non-ferrous metal waste
Wastes from the mechanical processing (eg sorting, crushing)	19 12 02	Non-ferrous metal

**EU-transboundary shipment of waste Directive** 

Classification	Waste Code	Description
B1 metals and metal containing waste, in massive form	B1010	Copper scrap

Contact KME or local metal dealer for recycling information.

## 14. Transport information

There is no special risk of carrying copper alloys in solid form, either as a primary product or as scrap. EEC hazard labelling is not required.

Apply suitable measures concerning load securing in due consideration to dimension and mass of the articles.



#### 15. REACH / SVHC

Semi-finished products from copper and copper-alloy are not a substance or mixtures according to Regulation (EC) No. 1272/2008 on classification, labelling and packaging of substances and mixtures (GHS/CLP regulation).

The articles do contain following substances defined as SVHC in concentrations of more than 0.1% (w/w).

Substance	CAS/EINECS	List	Date of inclusion
	CAS: 7439-92-1 EINECS: 231-100-4	SVHC	27.06.2018

The packaging do not contain any of the particularly alarming substances (SVHC) mentioned in the candidate list in concentrations of more than 0.1% (w/w), at the time of the revision date of this information sheet.

(SVHC-candidate list for authorization updated by ECHA)

Link to the most recent update: <a href="https://echa.europa.eu/de/candidate-list-table">https://echa.europa.eu/de/candidate-list-table</a>

# REACH Article 7(2) requires producers or EU-importers of articles to notify ECHA if their article contains a substance on the Candidate List.

It is our understanding that the producer of "end-use articles" starting from KME semi-finished products can assume that the **lead** in the articles has already been notified for its lifecycle. No further notification is in principle required by the producer of the end-use articles.

KME notified "*lead as component*" in articles with following brief description of the use of the substance in the article(s) and of the uses of the article(s) for which KME take responsibility (including the known downstream uses):

Nilowii downstieam uses).	
Notification	Use of articles of copper alloys containing lead
service life name	
Service life of articles made of copper alloys containing lead	<ul> <li>mechanical processing (e.g. bending, machining, milling, drilling, welding, soldering, grinding) of semi-finished articles into finished articles</li> <li>assembly and installation of the final article,</li> <li>maintenance and use of the final article</li> <li>disposal of the article</li> <li>collection, sorting and recycling of alloy constituents (e.g. copper)</li> </ul>
Contributing activity/ technique for the envi-	<ul> <li>Professional use: mechanical processing of semi finished articles into finished articles → ERC12a + ERC12c</li> </ul>
ronment	<ul> <li>Professional use: welding of articles made from copper alloys containing lead → ERC 12b + ERC12c</li> </ul>
	<ul> <li>Consumer: use of articles made from copper alloys containing lead</li> <li>→ ERC10a + ERC 11a</li> </ul>
Contributing activity/ technique for consumer	Use of articles made from copper alloys containing lead     AC1: Vehicles;
	AC2: Machinery, mechanical appliances, electrical/ electronic articles AC3: Electrical batteries and accumulators AC7: Metal articles
Contributing activity/ technique for workers	Professional use: mechanical processing of semi finished articles into finished articles → PROC 21
	<ul> <li>Professional use: welding of articles made from copper alloys containing lead → PROC25</li> </ul>
Technical function of substance during use	alloying element



## 16. Information regarding other regulations

The products from copper and copper-alloy (with tinned or uncoated surface) have a chemical composition in accordance with the below listed Directives of the European Parliament and of the Council and Council/Commission Decisions and mentioned regulations:

Item	Regulation
ELV	DIRECTIVE 2000/53/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 September 2000 on end-of life vehicles (so-called ELV) according amendment of Annex II (2008/689/EG)
GADSL	VDA 232-101 Global Automotive Declarable Substance List (GADSL)
RoHS-3 (assessment based on DIN EN 50581)	DIRECTIVE 2011/65/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 08 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment.  COMMISSION DELEGATED DIRECTIVE (EU) 2015/863 of 31 March 2015 amending Annex II to Directive 2011/65/EU (RoHS 3)  COMMISSION DELEGATED DIRECTIVE (EU) 2017/2102 of 15 November 2017 amending Directive 2011/65/EU  COMMISSION DELEGATED DIRECTIVE (EU) 2018/741 of 01 March 2018 amending Annex III to Directive 2011/65/EU  In case of lead-containing alloy applied exemption according annex III:  6c) Copper alloy containing up to 4 % lead (w/w) (exemption extend until 21. July 2021)  China-RoHS SJ/T 11363-2006)
DecaBDE	DIRECTIVE 2005/717/EG of 1st July 2008 Flame retardant DecaBDE in electrical and electronic appliances.
WEEE	For KME articles (semi-finished products) this directive is not applicable.
POP Stockholm Convention	POP-Directive REGULATION (EU) 2019/1021 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on persistent organic pollutants to recast and repealing EG/850/2004 and associated amendments
PFOS	Directive 2003/11/EG (Pentabromdiphenylether, Octabromdiphenylether) and 2006/122 EG (PFOS) of the EUROPEAN PARLIAMENT AND OF THE COUNCIL to change 76/769/EG for the use of dangerous substances and dangerous products.  The products are free from PAH.
Ozone-Layer	Regulation (EC)1005/2009: Substances that Deplete the Ozone Layer
Packaging material	Directive 94/62/EC (packaging and packaging waste)
Siloxane	The products are free from Octamethylcyclotetrasiloxane (D4) (EC No: 209-136-7, CAS No: 556-67-2) and Decamethylcyclopentasiloxane (D5) (EC No. 208-764-9, CAS No. 541-02-6)
- Cr VI - asbestos - mercury	The products are free from hexavalent chromium (CrVI) and asbestos There is no use of mercury in our alloy composition



US State Regulation	ons
TSCA	All alloy-components are listed on the TSCA (Toxic Substance ControlAct) list or are exempt from. All alloy-components are listed on SARA Section 313
SARA Section 312	Reporting and/or labelling requirements may be applicable for the components (including unintentional trace elements) of as-supplied alloy bar-stock; check your State and Local Regulatory Requirements for any reporting and labelling requirements.
U.S. California- Proposition 65 Carcinogens List	<b>WARNING</b> : This product can expose you to chemicals including lead, which is known to the State of California to cause cancer. For more information, go to <a href="https://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> .
<u>Lead</u> CAS: 7439-92-1	In solid form there will be no exposure of chemicals to the air by the articles. If the articles are subsequently processed in any way which might produce airborne dust or fumes, for instance by dry grinding, abrading, electro discharge machining, melting or welding (the material itself) then an exposure to the air of the listed chemicals and the inhalation hazard could arise.
U.S. California- Proposition 65 Carcinogens List	<b>WARNING</b> : This product can expose you to chemicals including nickel, which is known to the State of California to cause cancer. For more information, go to <a href="https://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> .
<u>Nickel</u> CAS: 7440-02-0	In solid form there will be no exposure of chemicals to the air by the articles. If the articles are subsequently processed in any way which might produce airborne dust or fumes, for instance by dry grinding, abrading, electro discharge machining, melting or welding (the material itself) then an exposure to the air of the listed chemicals and the inhalation hazard could arise.
U.S. California - Proposition 65 Development List Lead	<b>WARNING:</b> This product can expose you to chemicals including lead, which is known to the State of California to cause birth defects or other reproductive harm.  For more information, go to <a href="https://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> .
CAS: 7439-92-1	In solid form there will be no exposure of chemicals to the air by the articles. If the articles are subsequently processed in any way which might produce airborne dust or fumes, for instance by dry grinding, abrading, electro discharge machining, melting or welding (the material itself) then an exposure to the air of the listed chemicals and the inhalation hazard could arise.
U.S California - Proposition 65 Reproductive Toxicity - Female	reproductive harm.
<u>Lead</u> CAS: 7439-92-1	For more information, go to <a href="www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> In solid form there will be no exposure of chemicals to the air by the articles. If the articles are subsequently processed in any way which might produce airborne dust or fumes, for instance by dry grinding, abrading, electro discharge machining, melting or welding (the material itself) then an exposure to the air of the listed chemicals and the inhalation hazard could arise.



www.kme.com

#### reach.de@kme.com

U.S California -
Proposition 65
Reproductive Toxicity -
Male



**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause birth defects or other reproductive harm.

For more information, go to www.P65Warnings.ca.gov

<u>Lead</u> CAS: 7439-92-1

In solid form there will be no exposure of chemicals to the air by the articles. If the articles are subsequently processed in any way which might produce airborne dust or fumes, for instance by dry grinding, abrading, electro discharge machining, melting or welding (the material itself) then an exposure to the air of the listed chemicals and the inhalation hazard could arise.

### **REACH**

	Lead, CAS: 7439-92-1, EINECS: 231-100-4
annex XVII	Some uses of <u>lead</u> in articles are restricted under <u>Annex XVII of</u>
to REACH Regulation (EU) No	REACH. (entry 63 for lead and lead-compounds)
1907/2006	This document,
<u>Lead</u> CAS: 7439-92-1	echa.europa.eu/documents/10162/13563/lead_guideline_information_en.pdf
	aims at providing a guideline concerning the interpretation of the scope of the restriction provisions in paragraphs 7 to 10 of entry 63 of Annex XVII to REACH Regulation (EU) No 1907/2006 on lead and its compounds in articles supplied to the general public. It has been drawn up to (i) clarify certain terms that define the scope of the restriction (e.g. "accessible part of articles", "normal/reasonably foreseeable conditions of use")
	(ii) provide non-exhaustive lists of article types (and examples of sub-types) which fall within (or out of ) the scope of the restriction.
annex XVII	Nickel CAS: 7440-02-0 ; EINECS: 231-111-4
to REACH	Some uses of <u>nickel</u> in articles are restricted under <u>entry 23 annex XVII</u>
Regulation (EU) No 1907/2006	<u>nickel</u>

## 17. Disclaimer

We confirm that the information involved in the drawing up of this document has been checked to the best of our knowledge for completeness, correctness and current relevance. They are given for a safe and proper use of our articles. These given data don't have the meaning of warranted characteristics of the specific delivered articles.

We shall inform our customers about mistakes which transpire to exist in information included in this information sheet as well as about amendments about which we become aware prior to a delivery. We declare our agreement with the fact that our information is to be used by our customers along the supply chain.